



Top product within Lightline series, is the LIGHTLINE 300 RGBW/FC equipped with high powerful LEDs. Robust and reliable case, the new luminarie, IP67 rated is suitable for architectural and entertainment applications. It has a modern and appealing style which reflect the italian design

Available in 3 different measures:

- Standard 90 cm.
- On request 60 - 120 cm
- Standard fixture colour finishing: grey. Optional black and white.

TECHNICAL FEATURES (90cm standard)

• SOURCE

n. 15 RGBW-FC-LEDs
Total out lumen:
R 1400lm, G 2300lm, B 450lm, W 3300lm
Total light power: 140W

• OPTIC

6°, 10°, 25°, 40°, 10°x60° (45 mm lenses)

• TILT

Manual 160°

• CONTROL

Standard interface: RS-485
Protocol: USITT DMX 512

• CONNECTIONS

Signal: 4pin IP 67 connector (male-female)
possibility to link up to 32 devices in chain
Available as accessories:
- Wireless DMX receiver
Main Power: 3pin IP 67 connector (male-female)
possibility to link up to 6 devices at 230V or
3 devices at 120V in chain.

• SAFETY

n. 2 eyebolts for safety chains

• SETUP AND CONFIGURATION

Control panel with touch technology and led display
with flip function
or by DRS
Dedicated DMX channel for white balance
DMX or Auto mode with Master-Slave function
Intelligent temperature control
Halogen simulation
CYM simulation
Flicker-free function
Smooth dimming function

• IP 67 RATING PROTECTION

• POWER SUPPLY


Voltage range: 100-240VAC
Frequency range: 47-63Hz
Active Power factor:
PF>0.94/230VAC, PF>0.98/120VAC
Current:
0.70A@230VAC, 1.25A@120V
Power: 150W
Fuse T5A (inside fixture)

• DMX CHANNELS

9CH mode, 6CH mode, 5CH mode, 4CH mode

• PHYSICAL

WxDxH: 925 x110x93 mm (dimension of profile)
Weight: 6,7 Kg.



power supply profile 440mm and fixing base dimensions are good for:

- ARCHIBAR SL300 rgbw and monochromatic (600mm and 900mm length)
- ARCHIBAR SL200 rgbw and monochromatic (600mm, 900mm and 1200mm length)



power supply profile 620mm and fixing base dimensions are good for:

- ARCHIBAR SL300 rgbw (1200mm length)

- ARCHIBAR SL200 rgbw and monochromatic (1500mm length)

